

Sharing Value with the Sun

TALE Home L Series

3.2 kWh Low Voltage Battery

www.talesun.com

marketing.hq@talesun.com



Smart Systema tic EMS Based on Al



An all-round platform to power your life

- Smart control to optimize your energy allocation provide 24/7 automatic monitoring
- Thoughtful cloud service for preserving batteries providing remote diagnostics or upgrades
- Intelligent technology extends battery life anticipates and resolves potential problems





Sharing Value with the Sun

TALE Home L Series

9.4 kWh
Low Voltage Battery







IoT Technology

Smart Systematic EMS Based on AI



An all-round platform to power your life

- Smart control to optimize your energy allocation provide 24/7 automatic monitoring
- Thoughtful cloud service for preserving batteries providing remote diagnostics or upgrades
- Intelligent technology extends battery life anticipates and resolves potential problems

TALE Home L Series

Model	THESS-9.4kWh-L
Nominal Energy	
Capacity	
Nominal Voltage	51.2V
Operating Voltage Range	43.2-57.6V
Cell Type	LFP(LiFePO4)
Dimension(W*D*H)	
Weight	
Charge Temperature	From 0~50℃
Discharge Temperature	From -10∼50℃
Depth of Discharge	
Nominal Charging Current	
Nominal Discharging Current	
Safety	IEC 62619
IP Rating of Enclosure	IP54
Cooling Type	Natural
Humidity	95%
Warranty	5+5years
Communication Port	CAN/RS485
Transportation Certification	UN38.3/MSDS/DGM

